


Onka®

MRK 4 mm² DOUBLE LEVEL SCREW CONNECTION RAIL TERMINAL BLOCK



Product code: 1652



Dimensions

| Dimensions (mm) | |
|-----------------|-------|
| A | 66.3 |
| B | 63 |
| C | 34.5 |
| D | 35.2 |
| E | 33 |
| F | 18.75 |

Materials

| | | |
|----------------|------------------|--------|
| Body | PA6.6 | |
| Bridge | Copper | |
| Contact | CK45 Steel | |
| Screw | Steel | |
| Temperature | -40°C,+140°C | |
| Cable Strip L. | 9mm | |
| Torque | 0,5Nm | |
| Data | TSE/CE | UL |
| Voltage | 750V | 600V |
| Current | 32A | 32A |
| Section | 4mm ² | 10AWG |
| Norm | EN-60947-7-1 | UL1059 |

Color

| Colour | Order No | Pcs. | |
|--------|----------|------|--|
| Grey | 1652 | 50 | |
| Cream | 1653 | 50 | |
| Black | 1654 | 50 | |
| Blue | 1655 | 50 | |
| Brown | 1656 | 50 | |
| Red | 1657 | 50 | |
| Yellow | 1658 | 50 | |
| Green | 1659 | 50 | |

Cross

| Order No | Section | Pcs. |
|----------|---------|------|
| 1930 | 4/2 | 100 |
| 1931 | 4/3 | 50 |
| 1932 | 4/4 | 50 |
| 1933 | 4/10 | 30 |
| 1934 | 4/20 | 20 |

Stopper

Stopper-1202,1212,1222

Sticker

Group Sticker-1232

Marking

